

Report No.: HC80004A/2019

Page: 1 of 7

Date: August 19, 2019

VECOW CO., LTD.
3 F., NO. 10, JIANKANG RD.,
ZHONGHE DIST., NEW TAIPEI CITY,
TAIWAN, R.O.C.

The following merchandise was submitted and identified by the vendor as:

Product Description: Fanless Robust Computing System

Style/ Item No.: RCX-1540-PEG (WITH DUAL RTX-2080)/ No.1

Quantity: Total 1 set

Testing Period: Aug. 7, 2019 to Aug. 8, 2019

We have tested the submitted sample(s) as requested and the following results were obtained:

Test Required: (According to client's test specification, please see following sheets in detail.)

1. Random Vibration Test

2. Mechanical Shock Test

Test Results: - PLEASE SEE ATTACHED SHEETS -

*HC80004/2019, dated on August 12, 2019, is hereby canceled and replaced by HC80004A/2019.

Signed for and on behalf of SGS TAIWAN Ltd.

Hank Chiou Sr. Supervisor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Reliability Laboratory

TEST REPORT

Report No.: HC80004A/2019

Page: of 7

1. Random Vibration Test:

Test Equipment:

Name	Brand	Model	Serial No.	
Vibration Test System	UNHOLTZ-DICKI	SAI60-H560BAC/2/ST	474	
Controller	Dactron	LASER	7110357	
Control Accelerometer	PCB	353B34	LW213529	

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C Ambient humidity: $(55 \pm 20) \% RH$

No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New Test Location:

Taipei City, Taiwan

Test Method/ Specification:

Test Method: IEC 61373, Edition 2.0:2010, Table 1, Class B - Body mounted

Sample condition: Operating Wave form: Random

 $(5 \sim 150) \text{ Hz}$ Frequency:

Z axis (Vertical)	X axis (T	ransverse)	Y axis (Lo	ngitudinal)
Frequency (Hz)	PSD ((m/s ²) ² /Hz)	Frequency (Hz)	PSD ((m/s ²) ² /Hz)	Frequency (Hz)	PSD ((m/s ²) ² /Hz)
5	0.0301	5	0.0060	5	0.0144
20	0.0301	20	0.0060	20	0.0144
150	0.00054254	150	0.00010814	150	0.0002595
=> equivalent to	0.99 (m/s ²)rms	equivalent to	0.44 (m/s ²)rms	equivalent to	0.68 (m/s ²)rms

Direction: X, Y, Z axes (see photo $3 \sim 5$)

Duration: 30 minutes/ axis

- Examine the appearance of specimen(s) by visual check and perform functional check during and after this test
- Functional check: Connect the specimen with rated power, turn on the power of specimen then execute test program "Burn-In Test" while performing functional check.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction for documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unlawful and offenders may be prosecuted to the fullest extent of the law

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路31號



Report No.: HC80004A/2019

Page: of 7

Specimen:

Style/ Item No.: RCX-1540-PEG (WITH DUAL RTX-2080)/ No.1

Quantity: Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
RCX-1540-PEG (WITH DUAL RTX-2080)/ No.1	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format document is, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Pollability Laboratory! No 31 Wit Charatory! Park With District Mean Taine! City Taiwan

**Pollability Laboratory! No 31 Wit Charatory! No 31 Wit Charatory! No 31 Wit Charatory! Park With District Mean Taine! City Taiwan

Pollability Laboratory!



Report No.: HC80004A/2019

Page: of7

2. Mechanical Shock Test:

Test Equipment:

Name	Brand	Model	Serial No.	
Shock Test System	UNHOLTZ-DICKIE	SAI60-H560BAC/2/ST	474	
Controller	Dactron	LASER	7110357	
Control Accelerometer	PCB	353B34	LW213529	

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: $(55 \pm 20) \% RH$

Test Location: No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New

Taipei City, Taiwan

Test Method/ Specification:

Test Method: IEC 61373, Edition 2.0:2010, Table 3, Class A and Class B - Body mounted

Sample condition: Non-Operating

Pulse shape: Half-sine

Acceleration: Vertical-Z: 3 g;

Transverse-X: 3 g;

Longitudinal-Y: 5 g

Pulse duration: 30 ms

Shock direction: 6 faces ($\pm X$, $\pm Y$, $\pm Z$ axes, see photo $6 \sim 8$)

No. of shock: 3 shocks/ axis (total 18 shocks)

- Examine the appearance of specimen(s) by visual check and perform functional check during and after this test
- Functional check: Connect the specimen with rated power, turn on the power of specimen then execute test program "Burn-In Test" while performing functional check.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic Format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction for documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: HC80004A/2019

Page: of 7

Specimen:

Style/ Item No.: RCX-1540-PEG (WITH DUAL RTX-2080)/ No.1

Quantity: Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
RCX-1540-PEG (WITH DUAL RTX-2080)/ No.1	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format document is, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Pollability Laboratory! No 31 Wit Charatory! Park With District Mean Taine! City Taiwan

**Pollability Laboratory! No 31 Wit Charatory! No 31 Wit Charatory! No 31 Wit Charatory! Park With District Mean Taine! City Taiwan

Pollability Laboratory!



Reliability Laboratory

TEST REPORT


Report No.: HC80004A/2019


Page: of 7

Test Photos:



Appearance of specimen








Random Vibration Test: X axis 3.

4. Random Vibration Test: Y axis





Random Vibration Test: Z axis

Mechanical Shock Test (±X axis) 6.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format document is, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Pollability Laboratory! No 31 Wit Charatory! Park With District Mean Taine! City Taiwan

**Pollability Laboratory! No 31 Wit Charatory! No 31 Wit Charatory! No 31 Wit Charatory! Park With District Mean Taine! City Taiwan

Pollability Laboratory!

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HC80004A/2019

Page: of 7

Test Photos--Continued:



Mechanical Shock Test (±Y axis)



Mechanical Shock Test (±Z axis)



Functional Check

-The End of Test Report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format document is, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Pollability Laboratory! No 31 Wit Charatory! Park With District Mean Taine! City Taiwan

**Pollability Laboratory! No 31 Wit Charatory! No 31 Wit Charatory! No 31 Wit Charatory! Park With District Mean Taine! City Taiwan

Pollability Laboratory!

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號