

Report No.: HC50015/2020

Page: of 12

Jun. 1, 2020 Date:

VECOW CO., LTD. 3F., NO.10, JIANKANG RD., ZHONGHE DIST., NEW TAIPEI CITY 23586, TAIWAN

The following merchandise was submitted and identified by the vendor as:

Product Description: Rack Mount Embedded Computer

Style/ Item No.: RMS-1000/ No.1

Quantity: Total 1 set

May 27, 2020 to Jun. 1, 2020 Testing Period:

We have tested the submitted sample(s) as requested and the following results were obtained:

Test Required: (According to client's test specification, please see following sheets in detail.)

1. High Temperature Test

2. Low Temperature Test

3. Random Vibration Test

4. Mechanical Shock Test

<u>Test Results</u>: -PLEASE SEE ATTACHED SHEETS-

> Signed for and on behalf of SGS TAIWAN Ltd.

Allen Wang Asst. Supervisor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sus.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sus.com/terms-and-Conditions and, for electronic format document is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HC50015/2020

Page: of 12

1. High Temperature Test:

Test Equipment:

Name	Brand	Model	Serial No.
Programmable Temperature & Humidity Chamber	GIANT FORCE	GTH-225-40-CP-AR	MAA1807-009

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: (55 ± 20) % RH

Test Location: No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District,

New Taipei City, Taiwan.

Test Method/ Specification:

Sample Condition: Operating (execute "BurnIn")

Test Temperature: 70 °C Test Duration: 16 hours

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program "BurnIn" could work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HC50015/2020

Page: 3 of 12

Specimen:

Style/Item No.: RMS-1000/ No.1

Quantity: Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
RMS-1000/ No.1	No visible damage	Normal



Report No.: HC50015/2020

Page: of 12

2. Low Temperature Test:

Test Equipment:

Name	Brand	Model	Serial No.
Programmable Temperature & Humidity Chamber	GIANT FORCE	GTH-225-40-CP-AR	MAA1807-009

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: (55 ± 20) % RH

Test Location: No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District,

New Taipei City, Taiwan.

Test Method/ Specification:

Sample Condition: Operating (execute "BurnIn")

Test Temperature: -40 °C Test Duration: 16 hours

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program "BurnIn" could work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HC50015/2020

Page: of 12

Specimen:

Style/Item No.: RMS-1000/ No.1

Quantity: Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
RMS-1000/ No.1	No visible damage	Normal



Report No.: HC50015/2020

Page: of 12

3. Random Vibration Test:

Test Equipment:

Name	Brand	Model	Serial No.
Vibration Tester	IMV	J260/SA7M	14101899
Controller	IMV	K2	14101899
Control Accelerometer	PCB	353B34	139174

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: $(55 \pm 20) \% RH$

No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New **Test Location:**

Taipei City, Taiwan

Test Method/ Specification:

MIL-STD-810G w/Change 1, Method 514.7, Procedure I, Table 514.7C-I Test method:

Category 4 - Common carrier.

Sample condition: Operating (execute "BurnIn")

Wave form: Random

Frequency: (10 ~ 500) Hz (Test Spectrums as shown in the following sheets in detail)

Direction: X, Y, Z axes (See photo $4 \sim 6$)

Duration: 1 hour/ axis

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program "BurnIn" could work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.gs.com/tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.gs.com/ten/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.gs.com/ten/terms-and-Conditions and, for electronic format document, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if advised the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unlawful and offenders may be prosecuted to the fullest extent of the law

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HC50015/2020

Page: of 12

Test Method/ Specification--Continued:

Test Spectrums:

Vertical - Z axis Transverse - X axis		Longitudinal - Y axis			
Frequency (Hz)	PSD (g ² /Hz)	Frequency (Hz)	PSD (g ² /Hz)	Frequency (Hz)	PSD (g ² /Hz)
10	0.01500	10	0.00013	10	0.00650
40	0.01500	20	0.00065	20	0.00650
500	0.00015	30	0.00065	120	0.00020
cquivalent t	o 1.04 G _{rms}	78	0.00002	121	0.00300
•		79	0.00019	200	0.00300
		120	0.00019	240	0.00150
		500	0.00001	340	0.00003
		equivalent to	o 0.20 G _{rms}	500	0.00015
				□ equivalent to	o 0.74 G _{rms}



Report No.: HC50015/2020

Page: of 12

Specimen:

Style/Item No.: RMS-1000/ No.1

Quantity: Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
RMS-1000/ No.1	No visible damage	Normal



Report No.: HC50015/2020

Page: of 12

4. Mechanical Shock Test:

Test Equipment:

Name	Brand	Model	Serial No.
Vibration Tester	IMV	J260/SA7M	14101899
Controller	IMV	K2	14101899
Control Accelerometer	PCB	353B34	139174

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: $(55 \pm 20) \% RH$

No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New **Test Location:**

Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810G w/CHANGE 1, Method 516.7, Procedure I - Functional

Shock Test

Sample condition: Operating (execute "BurnIn")

Pulse shape: Sawtooth

Acceleration: 20 g Pulse duration: 11 ms

Shock direction: 6 faces ($\pm X$, $\pm Y$, $\pm Z$ axes, see photo 4 ~ 6)

No. of shock: 3 shocks/ axis (total 6 shocks)

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program "BurnIn" could work normally or not.



Report No.: HC50015/2020

Page: 10 of 12

Specimen:

Style/Item No.: RMS-1000/ No.1

Quantity: Total 1 set

Test Result:

Check Item Style/ Item No.	Appearance check (Visual check)	Functional check
RMS-1000/ No.1	No visible damage	Normal




Reliability Laboratory

TEST REPORT

Report No.: HC50015/2020

Page: 11 of 12

Test Photos:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279


f (886-2) 2299-9558



Report No.: HC50015/2020

Page: 12 of 12

Test Photos--Continued:



The End of Test Report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Poliability to aboratory! No. 31 Wit Charatory!** No. 21 Wit Charatory!** Park With District Mean Tainel City Taiwan**

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號